



AQRYS®



2 0 2 2

DESIGNED IN ROMANIA

ALL ABOUT GAMING



ALL ABOUT GAMING



ABOUT US:

As stated by our motto, "All About Gaming," AQIRYS is about IT products dedicated to gaming. Our solutions are developed and perfected by a passionate team with over 15 years of expertise in the IT & gaming industry, heavily focused on variety, quality, and affordability.

Our final goal is to deliver these products to people enthusiastic about PC gaming and modding in a modern, dynamic way, making them feel more satisfied than before.




T.G.A.

THE GREAT ANNIHILATOR
ALPHA

ALL ABOUT GAMING

AVAILABLE Q2 2022

19K	63g					1.8M		
DPI	LIGHTWEIGHT	80M CLICKS KAILH SWITCH	WIRELESS	SWAPPABLE COVERS	RGB	CABLE LENGTH	SOFT CABLE	SOFTWARE DRIVER

- Customizable ultra-light wireless mouse optimized for e-sports (only 63 grams)
- 19000 dpi PixArt high-performance optical sensor, no hardware acceleration
- Precision injection molding chassis with all-grip symmetric right-handed design
- Adjustable palm support via interchangeable modules
- 4/16 interchangeable modules for the main buttons/palm support
- Add-on grips for the main buttons and the sides
- Splashproof PCB to prevent damage caused by accidental liquid spills
- Main buttons with Kailh mechanical switches rated for 80 Million clicks
- 16 spacers to change the feedback of the main buttons
- 2.4 GHz gaming-grade wireless technology (nano USB transmitter included)
- Game while charging (ultra-light and flexible braided USB paracord included)
- RGB lighting with multiple dynamic visual effects
- AQIRYS software for in-depth customization (lighting, macro, dpi, etc.)
- Large PTFE skates



TECHNICAL DATA

Sensor:	Optical, PixArt 3370, 19000 DPI
Polling rate:	1000 MHz
Max. tracking speed:	400 IPS
Acceleration:	50G
Shape:	Symmetric, Right-handed
Number of Buttons:	6 (programmable)
Switch Type:	Kailh, rated for 80M clicks
On-board memory:	Yes
Illumination:	RGB
Connectivity:	Dual-mode - Wireless, Wired
Interface:	USB 2.0
Battery:	300mA / max charging time: 1.5h
Battery Life:	Up to 36 hours continuous Gaming Time
Operating distance:	10m
Cable:	Ultra-soft, braided, 1.8 m
Platform:	PC (Windows 7 and up), Mac
Size:	120 x 63.5 x 39 mm
Weight:	63 g (Without cable)
Color:	White
EAN:	-
Pieces/Carton:	20



INSIDE THE BOX: 1x  1x  2x  1x  4x 
 4x  3x  4x  3x  16x  1x  2x  1x 



PRODUCT PAGE



FOLLOW US



T.G.A.

THE GREAT ANNIHILATOR

ALL ABOUT GAMING


19K DPI	72g LIGHTWEIGHT	80M CLICKS KAILH SWITCH	WIRELESS	SWAPPABLE COVERS	RGB	1.8M CABLE LENGTH	SOFT CABLE	SOFTWARE DRIVER
-------------------	---------------------------	-----------------------------------	-----------------	----------------------------	------------	-----------------------------	-------------------	------------------------

- Customizable light-weight wireless mouse optimized for e-sports (only 63 grams)
- 19000 dpi PixArt high-performance optical sensor, no hardware acceleration
- Precision injection molding chassis with all-grip symmetric right-handed design
- 3/6 interchangeable modules for the main buttons/palm support
- add-on grips for the main buttons and the sides
- Splashproof PCB to prevent damage caused by accidental liquid spills
- Main buttons with Kailh mechanical switches rated for 80 Million clicks
- 16 spacers to change the feedback of the main buttons
- 2.4 GHz gaming-grade wireless technology (nano USB transmitter included)
- Game while charging (ultra-light and flexible braided USB paracord included)
- RGB lighting with multiple dynamic visual effects
- AQIRYS software for in-depth customization (lighting, macro, dpi, etc.)
- Large PTFE skates



TECHNICAL DATA

Sensor:	Optical, PixArt 3370, 19000 DPI
Polling rate:	1000 MHz
Max. tracking speed:	400 IPS
Acceleration:	50G
Shape:	Symmetric, Right-handed
Number of Buttons:	7 (programmable)
Switch Type:	Kailh, rated for 80M clicks
On-board memory:	Yes
Illumination:	RGB
Connectivity:	Dual-mode - Wireless, Wired
Interface:	USB 2.0
Battery:	580mA / max charging time: 2.5h
Battery Life:	Up to 50 hours continuous Gaming Time
Operating distance:	10m
Cable:	Ultra-soft, braided, 1.8 m
Platform:	PC (Windows 7 and up), Mac
Size:	120 x 63.5 x 39 mm
Weight:	72 g (Without cable)
Color:	Black
EAN:	5949161380994
Pieces/Carton:	20



INSIDE THE BOX: 1x  1x  1x  1x 

2x  3x  2x  16x  1x  1x  1x  1x 



PRODUCT PAGE



FOLLOW US



POLARIS

W H I T E

ALL ABOUT GAMING


16K
DPI



1.8M
CABLE LENGTH




- Light-weight backlit wireless mouse for gaming (only 73 grams)
- 16000 dpi PixArt high-end optical sensor for wireless gaming, no hardware acceleration
- 2.4 GHz low latency wireless (nano USB transmitter included)
- Built-in 600 mAh battery, 400+ hours battery life
- Game while charging (ultra-light and flexible braided USB-C cable included)
- RGB lighting with multiple dynamic visual effects
- Main buttons with HUANO mechanical switches rated for 20 Million clicks
- All-grip symmetric right-handed ergonomic design
- Anti-sweat coating for premium comfort and feel
- AQIRYS software for in-depth customization (lighting, macro, dpi, etc.)



TECHNICAL DATA

Sensor:	Optical, PixArt 3335
Sensitivity:	16000 DPI
Polling rate:	1000 MHz
Max. tracking speed:	400 IPS
Acceleration: 40G	40G
Hardware acceleration:	No
Shape:	Symmetric, Right-handed
Number of Buttons:	7
Programmable Buttons:	Yes
Switch Type:	Kailh, rated for 80M clicks
On-board memory:	Yes
Illumination:	RGB
Connectivity:	Dual-mode - Wireless, Wired
Interface:	USB 2.0
Battery:	600mA / max charging time: 6h
Battery Life:	Up to 40 hours continuous Gaming Time
Operating distance:	10m
Cable type:	Ultra-soft, braided
Cable Length:	1.8 m
Software:	Yes (Windows 7 and up)
Platform:	PC & Mac
Size:	124.2 x 67.1 x 39.8 mm
Weight:	73 g (Without cable)
Color:	Black
EAN:	5949161380239
Pieces/Cartron:	20



INSIDE THE BOX: 1x  1x  1x  1x  2x 



PRODUCT PAGE



FOLLOW US



DORADUS

ALL ABOUT GAMING

12K DPI	 20M CLICKS	 63g ULTRA-LIGHTWEIGHT	 1.8M CABLE LENGTH	 RGB	 SOFT CABLE	 SOFTWARE DRIVER
-------------------	---	---	---	--	---	--

- Ultra-light backlit mouse for gaming (63 grams without cable)
- 12000 dpi PixArt high-end optical sensor, no hardware acceleration
- All-grip symmetric right-handed ergonomic design, detachable palm rest
- Perforated chassis avoids sweat buildup and enhance its evaporation
- Splashproof PCB to prevent damage caused by accidental liquid spills
- Main buttons with Huano mechanical switches rated for 20 Million clicks
- RGB lighting with multiple dynamic visual effects
- AQIRYS software for in-depth customization (lighting, macro, dpi, etc.)
- Ultra-light and flexible braided USB paracord



TECHNICAL DATA

Sensor:	Optical, PixArt 3327
Sensitivity:	12000 DPI
Polling rate:	1000 MHz
Max. tracking speed:	220 IPS
Acceleration:	30G
Hardware acceleration:	No
Shape:	Ergonomic, Right-handed
Number of Buttons:	6
Programmable Buttons:	Yes
Switch Type:	Huano, rated for 20M clicks
On-board memory:	Yes
Illumination:	RGB
Connectivity:	Wired
Interface:	USB 2.0
Cable type:	Ultra-light, braided
Cable Length:	1.8 m
Software:	Yes (Windows 7 and up)
Platform:	PC & Mac
Size:	125 x 63.5 x 40 mm
Weight:	63 g (Without cable)
Color:	Black
EAN:	5949161380987
Pieces/Carton:	20



INSIDE THE BOX: 1x  1x  1x 



PRODUCT PAGE



FOLLOW US



ANDROMEDA

ALL ABOUT GAMING



AVAILABLE COLORS: BLACK / BLUE



WIRELESS



VIRTUAL SURROUND




DRIVER SIZE



DEEP-BASS



REMOVABLE MIC



PLAY TIME




SOFTWARE DRIVER



USB 2.0

- Wireless gaming headset with 7.1 virtual surround sound for PC and consoles
- Wireless 2.4 GHz and Wired (3.5 mm) connectivity
- Over-ear design with 50 mm drivers inside closed cups
- Omnidirectional microphone with noise-canceling, mounted on a detachable boom arm (TeamSpeak certification pending)
- Microphone pop-filter included
- High-performance USB sound card
- High-quality build and finishes (aluminum hooks, stitched headband)
- Two types of ear-pads with memory foam included for adjusting comfort and sound experience
- AQIRYS software for in-depth customization



TECHNICAL DATA

Sound:	7.1 Virtual Surround
Frequency response:	20 Hz - 20 KHz
Sensitivity:	92 ± 3 dB
Impedance:	32 Ω ± 15%
Driver size:	50 mm
Backlight:	No
Microphone pattern:	Omnidirectional
Microphone type:	Removable
Microphone frequency response:	100 Hz - 10 KHz
Microphone sensitivity:	-38 ± 3 dB
Microphone impedance:	□ 2200 Ω
Noise cancelling:	Yes
Microphone size:	6.0 x 2.7 mm
Headphone type:	Over-ear
In-line remote:	Yes
Connection type:	Dual-mode - Wireless 2.4GHz, Wired Audio cable
Connectors:	Wireless receiver, 1x TRRS 3.5 mm jack (PS, XBOX, mobile), 2x TRS 3.5 mm jack (PC, stereo)
Battery:	Built-in 1100 mAh
Charging time:	7h max.
Play time:	17h max.
Cable length:	1 m (audio cable), 0.85 m (break-away), 1.8 m (Micro-USB charging cable)
OS support:	Microsoft Windows 7 or newer
Color:	Black
EAN:	5949161381175
Pieces/Carton:	10



INSIDE THE BOX:



PRODUCT PAGE



FOLLOW US



ALTAIR

W H I T E

ALL ABOUT GAMING



VIRTUAL SURROUND



DRIVER SIZE



DEEP-BASS



REMOVABLE MIC



RGB



SOFTWARE DRIVER



USB 2.0

2.20M

CABLE LENGTH

- Over-ear gaming headset with 7.1 virtual surround sound for PC
- 50 mm drivers inside closed cups
- Omnidirectional microphone with noise-canceling, mounted on a detachable boom arm
- TeamSpeak certified microphone performance
- Microphone windscreen included
- Dynamic RGB backlight
- High-performance USB sound card and in-line remote control
- Durable, high-quality construction (metal hooks, braided cable)
- Ergonomic and comfortable fit with soft-cushioned pads
- AQIRYS software for in-depth customization

TECHNICAL DATA

Sound:	7.1 Virtual Surround
Frequency response:	20 Hz - 20 KHz
Sensitivity:	100 ± 3 dB
Impedance:	32 Ω
Driver size:	50 mm
Backlight:	Yes (RGB)
Microphone pattern:	Omnidirectional
Microphone type:	Removable
Microphone frequency response:	100 Hz - 10 KHz
Microphone sensitivity:	-42 ± 3 dB
Microphone impedance:	2200 Ω
Noise cancelling:	Yes
Microphone size:	6.0 x 2.7 mm
Headphone type:	Over-ear
In-line remote:	Yes
Connection type:	Wired
Connectors:	USB 2.0
Cable length:	2.10 m
OS support:	Microsoft Windows 7 or newer
Color:	White
Weight:	405 g
EAN:	5949161380734
Pieces/Carton:	10



INSIDE THE BOX:  x1  x1  x1



PRODUCT PAGE



FOLLOW US



SIRIUS

W H I T E

ALL ABOUT GAMING



AVAILABLE COLORS: WHITE / BLACK



VIRTUAL SURROUND



DEEP-BASS



REMOVABLE MIC



USB 2.0



DRIVER SIZE



MULTI-PLATFORM

- Over-ear gaming headset for PC, PS, XBOX, and mobile
- 7.1 virtual surround sound on PC (via USB)
- Stereo sound on consoles and mobile (via 3.5 mm audio cable)
- 50 mm audio drivers inside closed cups
- Omnidirectional microphone with noise-canceling, mounted on a detachable boom arm
- TeamSpeak certified microphone performance
- Microphone windscreen included
- Two types of ear-pads included for adjusting comfort and sound experience
- High-performance USB sound card and in-line remote control
- AQIRYS software for in-depth customization (only via USB)
- Break-away cable for maximum portability
- High-quality build and finishes (aluminum hooks & cups, braided cables)
- Pouch for easy transport

TECHNICAL DATA

Sound:	7.1 Virtual Surround
Frequency response:	20 Hz - 20 KHz
Sensitivity:	100 ± 3 dB
Impedance:	32 Ω
Driver size:	50 mm
Backlight:	No
Microphone pattern:	Omnidirectional
Microphone type:	Removable
Microphone frequency response:	100 Hz - 10 KHz
Microphone sensitivity:	-42 ± 3 dB
Microphone impedance:	□ 2200 Ω
Noise cancelling:	Yes
Microphone size:	6.0 x 2.7 mm
Headphone type:	Over-ear
In-line remote:	Yes
Connection type:	Wired
Connectors:	1x TRRS 3.5 mm jack (PS, XBOX, mobile), 2x TRS 3.5 mm jack (PC, stereo), USB 2.0 (PC only)
Cable length:	0.85 m (break-away) + 1.7 m (USB)
OS support:	Microsoft Windows 7 or newer
Color:	White
Weight:	332 g
EAN:	5949161381267
Pieces/Carton:	10



INSIDE THE BOX:  x1  x1  x1  x1  x1  x1  x1  x1  x1  x1  x1  x1  x1  x1  x1



PRODUCT PAGE



FOLLOW US



LYRA



ALL ABOUT GAMING

AVAILABLE VERY SOON




- 3D stereo Bluetooth 5.0 headset for PC, PS, and mobile
- Ultra-Low-Latency Wireless connectivity via the included receiver
- Wired connectivity via 3.5 mm audio cable
- 40 mm audio drivers and 30 mm vibration drivers inside closed cups
- Dynamic RGB backlight and Vibration effects
- Two microphones (built-in and removable external)
- Microphone pop-filter included
- Foldable design
- Comfortable fit with soundproof snug ear-cups



TECHNICAL DATA

Sound:	Stereo
Frequency response:	20 Hz - 20 KHz
Sensitivity:	108 ± 3 dB
Impedance:	32 Ω
Driver size:	40 mm (audio) + 30 mm (vibration)
Backlight:	Yes (RGB)
Microphone pattern:	Omnidirectional
Microphone type:	Dual, Removable + Built-in
Microphone frequency response:	100 Hz - 10 KHz
Microphone sensitivity:	-42 ± 3 dB
Microphone impedance:	2200 Ω
Noise cancelling:	Yes
Microphone size:	125 x 2.7 mm
Headphone type:	Over-ear
Battery:	Built-in 1000 mAh
Connection type:	Dual wireless
Bluetooth®:	Yes, 5.0
Cable length:	0.85 m (audio), 1.5 m (charging), 1 m (splitter)
Compatibility:	PC, MAC, Mobile, PS4, PS5, Xbx (wired only), TV
Color:	Black, Pink, White
Play time:	27 h
EAN:	5949161381137
Pieces/Carton:	10



PRODUCT PAGE



FOLLOW US



ALUDRA

ALL ABOUT GAMING

AVAILABLE SOON



- Backlit mechanical gaming keyboard with exclusive AQIRYS design
- Gateron Red mechanical switches rated for 50 Million presses (linear, silent)
- Hot-swappable design allows future customization with other switches (compatible with Gateron, Cherry, and Kailh)
- Full-RGB dynamic illumination system for keys and edges
- Ultra-robust premium ABS chassis
- 2-step adjustable height
- Detachable USB-C cable for easy transport
- 3-way cable management under the keyboard (left, center, right)
- AQIRYS software for in-depth customization
- Additional Spacebar keycap with different profile inside the package




TECHNICAL DATA

Switch type:	Gateron Red
Rating:	50 Million Clicks
Feedback:	Linear, Silent
Travel:	4 mm
Force:	45 gF
Anti-Ghosting:	N-Key Rollover
Layout:	US
Keys:	105
Illumination:	Dynamic Per-Key RGB
Interface:	USB 2.0, Wired
Cable type:	Detachable, Braided
Cable length:	1.8 m
Software:	Yes
Platform:	PC/Mac & Consoles
Size:	454,8 x 141 x 40 mm
Weight:	991 g
EAN:	-
Pieces/Carton:	10



INSIDE THE BOX:



PRODUCT PAGE



FOLLOW US



ALUDRA TKL

ALL ABOUT GAMING



- Backlit mechanical gaming keyboard with exclusive AQIRYS design
- TKL form factor preferred by the e-sports pros
- Gateron Red mechanical switches rated for 50 Million presses (linear, silent)
- Hot-swappable design allows future customization with other switches (compatible with Gateron, Cherry, and Kailh)
- Full-RGB dynamic illumination system for keys and edges
- Ultra-robust premium ABS chassis
- 2-step adjustable height
- Detachable USB-C cable for easy transport
- 3-way cable management under the keyboard (left, center, right)
- AQIRYS software for in-depth customization
- Additional Spacebar keycap with different profile inside the package



TECHNICAL DATA

Switch type:	Gateron Red
Rating:	50 Million Clicks
Feedback:	Linear, Silent
Travel:	4 mm
Force:	45 gF
Anti-Ghosting:	N-Key Rollover
Layout:	US, TKL
Keys:	87
Illumination:	Dynamic Per-Key RGB
Interface:	USB 2.0, Wired
Cable type:	Detachable, Braided
Cable length:	1.8 m
Software:	Yes
Platform:	PC/Mac & Consoles
Size:	369.8 x 141 x 40 mm
Weight:	991 g
EAN:	5949161381199
Pieces/Carton:	10



INSIDE THE BOX:  x1  x1  x1  x1  x1  x1



PRODUCT PAGE



FOLLOW US



MIRA

ALL ABOUT GAMING



AVAILABLE COLORS: WHITE / BLACK



DUAL-WIRELESS
2.4GHz & BT



OUTEMU RED



N-KEY ROLLOVER
ANTI-GHOSTING



MULTI-PLATFORM



RGB

1.8M

CABLE LENGTH



SOFTWARE DRIVER



USB 2.0

- Dual-wireless mechanical gaming keyboard with exclusive AQIRYS design
- Compatible with PC, Mac, mobile
- Ultra-compact 60% keyboard form factor
- Outemu Red mechanical switches rated for 50 Million presses (linear, silent)
- 2.4 GHz wireless connectivity (nano USB transmitter included)
- BT connectivity (pairing with up to three devices)
- USB wired connectivity, game while charging (USB cable included)
- RGB backlight with multiple dynamic visual effects
- High-quality and durable build
- Frame and keycaps with special coating for premium comfort and feel
- AQIRYS software for in-depth customization (only wired)
- Optional color schemes for keycaps (sold separately)



TECHNICAL DATA

Switch type:	OUTEMU Red
Rating:	50 Million Clicks
Feedback:	Linear
Travel:	4 mm
Force:	45 gF
Anti-Ghosting:	N-Key Rollover
Layout:	US, 60%
Keys:	68
Illumination:	Dynamic Per-Key RGB
Connectivity:	Dual-Wireless (BT & 2.4GHz), Wired
Interface:	USB 2.0
Battery:	Built-in 1300 mAh
Battery Life:	up to 8 h (light on), up to 35 days (light off)
Operating distance:	10 m
Cable type:	Braided
Cable Length:	1.8 m
Software:	Yes
Platform:	PC/MAC & Mobile
Size:	308 x 101 x 39 mm
Weight:	556 g
Color:	Black
EAN:	5949161381229
Pieces/Carton:	10

ACCESSORIES:



MIRA KEYCAPS
WHITE & BLUE



MIRA KEYCAPS
BLACK & PINK



INSIDE THE BOX:  x1  x1  x1  x2  x1  x1



PRODUCT PAGE



FOLLOW US



MOUSEPADS




ECLIPSE: XL, MD, M




GRAVITY: XL, MD, M




GRAVITY WHITE: XL, MD



WEBB: XL, MD



SINGULARITY: XL, MD, M



PARSEC: XL, MD, M

XL

900 x 400 x 4 mm



XL



MD

450 x 400 x 4 mm



MD



M

320 x 270 x 4 mm



M



PRODUCT PAGE



FOLLOW US



AQUILLA

W H I T E

ALL ABOUT GAMING

AVAILABLE COLORS: WHITE / BLACK



4 FANS



RF REMOTE



E-ATX



ARGB



HINGED PANEL



USB 2.0





USB 3.0

- E-ATX midi-tower PC case without PSU
- Transparent side panel made of tempered glass
- Both side panels are provided with hinges for quick and easy access to hardware
- ARGB lighting controlled by a dedicated button and remote control
- Preinstalled PWM + ARGB controller
- Includes four 140 mm ARGB illuminated fans (without PWM support)
- Supports a maximum of nine 120 mm fans
- Two magnetic dust filters (top and side panel), a detachable dust filter in the bottom
- Water-cooling ready - supported radiators (35 mm max. thickness): front 120/240/280/360/420 mm, top 120/240/280/360 mm, side 120/240 mm



TECHNICAL DATA

Case type:	Midi Tower
Materials:	Tempered Glass with hinge(left side panel), 0.9 mm SPCC steel, ABS, Metal mesh
M/B support:	Mini-ITX, Micro-ATX, ATX, E-ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	395 mm maximum length *270 mm with side fans/AIO installed
CPU cooler support:	170 mm maximum height
Liquid cooling support:	Yes
Drive bays:	2x 3.5", 2x 2.5"
Expansion slots:	7
Front panel I/O:	1x USB 3.0, 2x USB 2.0, HD Audio, LED button
Illumination:	ARGB (included ARGB hub controller & RF remote)
Supported fans:	9 pieces
Installed fans:	4 pieces
Special features:	removable front panel, removable magnetic dust filter, PSU chamber, cable management outlets
Dimensions (LxWxH):	479 x 233 x 493 mm
Weight:	9750 g
Color:	White
EAN:	5949161380925



PRODUCT PAGE



FOLLOW US



BETELGEUSE

ALL ABOUT GAMING



4 FANS



RF REMOTE



ATX



ARGB



HINGED PANEL



USB 2.0



USB 3.0

- EATX midi-tower PC case without PSU
- Transparent side panel made of tempered glass
- Both side panels are provided with hinges for quick and easy access to hardware
- ARGB lighting controlled by a dedicated button and remote control
- Preinstalled PWM + ARGB controller
- Includes four 140 mm ARGB illuminated fans (without PWM support)
- Supports a maximum of nine 120 mm fans
- Two magnetic dust filters (top and side panel), a detachable dust filter in the bottom
- Water-cooling ready - supported radiators (35 mm max. thickness): front 120/240/280/360/420 mm, top 120/240/280/360 mm, side 120/240 mm



TECHNICAL DATA

Case type:	Midi Tower
Materials:	Tempered Glass with hinge(left side panel), 0.7 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX, ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	370 mm maximum length
CPU cooler support:	165 mm maximum height
Liquid cooling support:	Yes
Drive bays:	2x 3.5", 3x 2.5"
Expansion slots:	7 horizontal
Front panel I/O:	1x USB 3.0, 2x USB 2.0, HD Audio, LED button
Illumination:	ARGB (included ARGB hub controller with PWM & RF remote)
Supported fans:	9 pieces
Installed fans:	4 pieces
Special features:	tempered glass with hinge, removable magnetic dust filter, PSU chamber, cable management outlets
Dimensions (LxWxH):	475 x 216 x 488 mm
Weight:	7780 g
Color:	Black
EAN:	5949161380475



PRODUCT PAGE



FOLLOW US



CANOPUS

W H I T E

A L L A B O U T G A M I N G

AVAILABLE COLORS: WHITE / BLACK



3 FANS



ATX



ARGB



TEMPERED GLASS



USB 2.0




USB 3.0

- ATX midi-tower PC case without PSU
- Front panel with integrated RGB LED bar
- AQIRYS logo illuminated
- Transparent side panel made of tempered glass
- RGB lighting controlled by a dedicated button
- Connectors for ARGB headers on compatible motherboards
- Includes three 120 mm fans (RGB illuminated, without PWM support)
- Supports a maximum of eight 120 mm fans
- Water-cooling ready, accepts a wide range of radiators (240/360 mm)
- Ventilated chamber for bottom PSU installation

TECHNICAL DATA

Case type:	Midi Tower
Materials:	Tempered Glass (left side panel), 0.6 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX, ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	330 mm maximum length
CPU cooler support:	160 mm maximum height
Liquid cooling support:	Yes
Drive bays:	2x 3.5", 2x 2.5"
Expansion slots:	7
Front panel I/O:	1x USB 3.0, 2x USB 2.0, HD Audio, LED button
Illumination:	ARGB (fans and LED-bar controlled by LED button on I/O panel)
Supported fans:	8 pieces
Installed fans:	3 pieces
Special features:	removable magnetic dust filter, PSU chamber, cable management outlets
Dimensions (LxWxH):	385 x 200 x 450 mm
Weight:	4600 g
Color:	Black
EAN:	5949161380048



PRODUCT PAGE



FOLLOW US



WEZEN

ALL ABOUT GAMING

AVAILABLE COLORS: WHITE / BLACK



4 FANS



RF REMOTE



MATX



ARGB



HINGED PANEL



USB 2.0



USB 3.0

- Micro ATX mini-tower PC case without PSU
- Transparent side panel made of tempered glass and provided with hinges for easy access to components
- RGB lighting controlled by dedicated button and remote control
- PWM + ARGB controller preinstalled
- Includes four 120 mm fans (RGB illuminated, without PWM support)
- Supports CPU cooler with a maximum height of 160 mm and a graphics card with a maximum length of 350 mm
- Interior optimized for cable management
- Water-cooling ready, accepts slim radiators (120/240 mm)



TECHNICAL DATA

Case type:	Mini Tower
Materials:	Tempered Glass with hinge(left side panel), 0.6 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	350 mm maximum length
CPU cooler support:	160 mm maximum height
Liquid cooling support:	Yes
Drive bays:	2x 3.5", 2x 2.5"
Expansion slots:	4
Front panel I/O:	1x USB 3.0, 2x USB 2.0, HD Audio, LED button
Illumination:	ARGB (included ARGB hub controller & RF remote)
Supported fans:	6 pieces
Installed fans:	4 pieces
Special features:	tempered glass with hinge, removable magnetic dust filter, PSU chamber, cable management outlets
Dimensions (LxWxH):	400 x 208 x 418 mm
Weight:	4860 g
Color:	White
EAN:	5949161380208



PRODUCT PAGE



FOLLOW US



ANTARES

ALL ABOUT GAMING



4 FANS



RF REMOTE



ATX



ARGB



TEMPERED GLASS



USB 2.0



USB 3.0

- ATX midi-tower PC case without PSU
- Transparent tempered glass panels (side and front)
- RGB lighting controlled by a dedicated button and remote control
- Illuminated AQIRYS logo
- Preinstalled PWM + ARGB controller
- Includes four 120 mm fans (RGB illuminated, without PWM support)
- Supports a maximum of six 120 mm fans
- Top magnetic dust filter
- Water-cooling ready, accepts a wide range of radiators (120/240/360 mm)
- Dedicated chamber for bottom PSU installation



TECHNICAL DATA


Case type:	Midi Tower
Materials:	Tempered Glass (front and left side panels), 0.6 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX, ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	360 mm maximum length
CPU cooler support:	160 mm maximum height
Liquid cooling support:	Liquid cooling support: Yes
Drive bays:	2x 3.5", 2x 2.5"
Expansion slots:	7
Front panel I/O:	1x USB 3.0, 2x USB 2.0, HD Audio, LED button
Illumination:	ARGB (included ARGB hub controller & RF remote)
Supported fans:	6 pieces
Installed fans:	4 pieces
Special features:	removable magnetic dust filter, PSU chamber, cable management outlets
Dimensions (LxWxH):	410 x 205 x 450 mm
Weight:	6300 g
Color:	Black
EAN:	5949161380062



PRODUCT PAGE



FOLLOW US



PROCYON

ALL ABOUT GAMING



AVAILABLE COLORS: BLUE / WHITE / BLACK



5 FANS



RF REMOTE



MATX



ARGB



TEMPERED GLASS



USB 2.0





USB 3.0

- ATX midi-tower PC case without PSU
- Open-air concept for massive airflow
- Futuristic design ideal for PC modding
- Transparent side panels made of tempered glass
- Includes five 120 mm fans with ARGB lighting
- Supports a maximum of seven 120 mm fans
- Water-cooling ready - supported radiators (35 mm max. thickness): front 120/240/360 mm, top 120/240 mm, rear 120 mm
- Three dust filters: front, top, bottom

TECHNICAL DATA

Case type:	Midi Tower
Materials:	Tempered Glass (left & right side panel), 0.7 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX, ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	330 mm maximum length
CPU cooler support:	175 mm maximum height
Liquid cooling support:	Yes
Drive bays:	1x 3.5" or 2x 2.5"
Expansion slots:	7 horizontal
Front panel I/O:	1x USB 3.0, 1x USB 2.0, HD Audio, LED button
Illumination:	ARGB (included ARGB hub controller with RF remote)
Supported fans:	7 pieces
Installed fans:	5 pieces
Special features:	open-air case, removable magnetic dust filter, cable management outlets
Dimensions (LxWxH):	620 x 240 x 530 mm
Weight:	9.4 Kg
Color:	Blue
EAN:	5949161380666



PRODUCT PAGE



FOLLOW US



POLLUX

A L F A

ALL ABOUT GAMING



AVAILABLE MODELS: ALFA / BASIC



3 FANS



ATX



RF REMOTE



ARGB



TEMPERED GLASS



USB 2.0




USB 3.0

- ATX midi-tower PC case without PSU
- Open-air concept for massive airflow
- Futuristic design ideal for PC modding
- Transparent side panels made of tempered glass
- ARGB lighting controlled by a dedicated button and remote control
- Side plate with ARGB lighting
- Includes three 120 mm fans with ARGB lighting
- Water-cooling ready - supported radiators (35 mm max. thickness): front 120 mm, top 120/240 mm, rear 120 mm
- Three dust filters: front, top, bottom

TECHNICAL DATA

Case type:	Midi Tower
Materials:	Tempered Glass (left & right side panel), 0.7 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX, ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	350 mm maximum length
CPU cooler support:	175 mm maximum height
Liquid cooling support:	Yes
Drive bays:	1 x 3.5" or 2 x 2.5"
Expansion slots:	7 horizontal
Front panel I/O:	1 x USB 3.0, 1 x USB 2.0, HD Audio, LED button
Illumination:	ARGB (included ARGB hub controller with RF remote)
Supported fans:	6 pieces
Installed fans:	3 pieces
Special features:	open-air case, removable magnetic dust filter, ARGB plate integrated
Dimensions (LxWxH):	615 x 240 x 540 mm
Weight:	9200 g
Color:	Black-Yellow
EAN:	5949161380659



PRODUCT PAGE



FOLLOW US



SAIPH

ALL ABOUT GAMING

AVAILABLE COLORS: BLACK / WHITE / YELLOW



4 FANS



RF REMOTE



MATX



ARGB



TEMPERED GLASS




USB 3.0

- mATX midi-tower case without PSU
- Open-air concept for massive air flow
- Futuristic design ideal for PC modding
- Transparent side panels made of tempered glass
- Includes four 120 mm fans with ARGB lighting
- Supports a maximum of six 120 mm fans
- Supports CPU cooler with a maximum height of 175 mm and a graphics card with a maximum length of 270 mm
- Water-cooling ready, accepts radiators 120/240 mm front, 120/240 mm ceiling, 120 mm rear - 35 mm maximum thickness

TECHNICAL DATA

Case type:	Midi Tower
Materials:	Tempered Glass (left & right side panel), Acrylic, 0.6 mm SPCC steel, ABS
M/B support:	Mini-ITX, Micro-ATX
PSU support:	ATX, 175 mm maximum length (bottom installation)
VGA support:	270 mm maximum length
CPU cooler support:	175 mm maximum height
Liquid cooling support:	Yes
Drive bays:	1 x 3.5" or 2 x 2.5"
Expansion slots:	4 horizontal
Front panel I/O:	1 x USB 3.0, HD Audio, Reset button
Illumination:	ARGB (included ARGB hub controller with RF remote)
Supported fans:	6 pieces
Installed fans:	4 pieces
Special features:	open-air case, removable magnetic dust filter, cable management outlets
Dimensions (LxWxH):	550 x 230 x 495 mm
Weight:	7 kg
Color:	Black
EAN:	5949161380697



PRODUCT PAGE



FOLLOW US



PULSAR LS 750W

ALL ABOUT GAMING

AVAILABLE MODELS: 450W/550W/650W



- 750W 80 PLUS Bronze efficiency certified gaming PSU
- ATX 12V v2.31 form factor, Active PFC, ErP lot 6
- Japanese main capacitor rated for 105°C
- DC-to-DC technology
- FDB 120 mm fan with high-static pressure for effective cooling
- Temperature controlled fan speed for quiet operation
- Ribbon-type cables for easy wire management
- 6-level protection (OVP, OCP, OPP, SCP, UVP)
- 6-Year warranty for absolute peace of mind



TECHNICAL DATA

Continuous power: **650W**
 Form factor: **Intel® ATX12V 2.31**
 Efficiency: **80PLUS® Bronze certified**
 Intel® C6/C7: **Yes**
 PFC: **Active**
 Illumination: **No**
 Modular cables: **No**
 Cable type: **Flat, black**
 Fan size: **120 mm**
 Fan speed: **Temperature controlled**
 Fan technology: **Fluid Dynamic Bearing**
 AC Input: **200 - 240V, 4A, 50/60Hz**
 DC Output +3.3V: **22A**
 DC Output +5V: **20A**
 DC Output +12V1: **62.5A**
 DC Output -12V: **0.5A**
 DC Output +5Vsb: **2.5A**

MB connector: **1x 20+4P**
 CPU connector: **1x 8P, 1x 4+4P**
 PCIe connector: **2x 6+2P**
 SATA connector: **6x**
 Molex connector: **3x 4P**
 Protections: **OVP, OCP, OPP, SCP, UVP**
 Environmental compliance: **RoHS, WEEE, ErP Lot 6**
 Dimensions (LxWxH): **140 x 150 x 87 mm**
 Weight: **1654 g**
 Color: **Black**
 EAN: **5949161380598**
 Warranty: **6 Years**
 Pieces/Cartron: **10**



INSIDE THE BOX:  x1  x1  x1  x1



PRODUCT PAGE



FOLLOW US



AQUARIUS 360 AIO

ALL ABOUT GAMING



AVAILABLE COLORS: BLACK/WHITE



3 FANS



120 mm
SIZE



1800 RPM



ARGB



**HI-PERFORMANCE
THERMAL PASTE**



**INTEL
AMD
COMPATIBILITY**



450mm
LONG-TUBING




**TDP
UP TO 300W**

- All-in-One liquid cooling system, closed-loop (maintenance-free)
- Compatibility with AMD and Intel platforms (including LGA2066)
- Overclocking-ready with TDP support up to 300W
- Pump and fans with PWM control for quiet operation
- 360 mm aluminum radiator, equipped with 120 mm fans with high static pressure
- ARGB lighting for pumps and fans; compatibility with a wide range of motherboards (ASRock Polychrome, ASUS AURA, GIGABYTE RGB Fusion, MSI Mystic)
- Included ARGB controller for manual control
- Ultra-low evaporation nylon braided long tubing
- High-performance thermal paste included



TECHNICAL DATA

Pump Socket Compatibility:	Intel: LGA 20xx/115x/1200/1700; AMD: AM4
TDP:	up to 250W
Pump Installation:	with Backplate
Pump Dimensions:	78 x 84 x 45 mm
Pump Speed:	2600 ± 10% rpm
Pump Rated Voltage:	DC12V
Pump Noise Level:	23 dBA
Pump Coldplate Material:	Copper
Pump Connectors:	4-PIN (PWM) + 3-PIN ARGB
Radiator Dimensions:	380 x 120 x 27 mm
Radiator Material:	Aluminum
Tubing Length:	450 mm
Tubing Type:	Ultra-Low Evaporation Rubber, Nylon Braided
Fan Dimensions:	120 x 120 x 25 mm
Fan Bearing:	Hydraulic
Fan Speed:	800 - 1800 ± 10% rpm
Fan Air Flow:	30 - 75 CFM
Fan Noise Level:	25 - 32 dBA
Fan Rated Voltage:	DC12V
Fan Connectors:	4-PIN (PWM) + 3-PIN ARGB
Fan Included:	3 pieces
Special features:	ARGB controller included; High-performance thermal paste included
Illumination:	ARGB (Pump and Fan)
ARGB compatibility:	ASRock Polychrome, ASUS Aura, GIGABYTE RGB Fusion, MSI Mystic Light
PWM Controlled:	Yes (Pump and Fans)
Color:	Black
EAN:	5949161380895
Pieces/ Carton:	5



INSIDE THE BOX:  x1  x3  x1  x1  x1  x1



PRODUCT PAGE



FOLLOW US



AQUARIUS 240 AIO

ALL ABOUT GAMING



AVAILABLE COLORS: BLACK/WHITE



2 FANS



**120 mm
SIZE**



1800 RPM



ARGB



**HI-PERFORMANCE
THERMAL PASTE**



**INTEL
AMD
COMPATIBILITY**



**450mm
LONG-TUBING**




**TDP
UP TO 250W**

- All-in-One liquid cooling system, closed-loop (maintenance-free)
- Compatibility with AMD and Intel platforms (including LGA2066)
- Overclocking-ready with TDP support up to 250W
- Pump and fans with PWM control for quiet operation
- 240 mm aluminum radiator, equipped with 120 mm fans with high static pressure
- ARGB lighting for pumps and fans; compatibility with a wide range of motherboards (ASRock Polychrome, ASUS AURA, GIGABYTE RGB Fusion, MSI Mystic)
- Included ARGB controller for manual control
- Ultra-low evaporation nylon braided long tubing
- High-performance thermal paste included



TECHNICAL DATA

Pump Socket Compatibility:	Intel: LGA 20xx/115x/1200/1700; AMD: AM4
TDP:	up to 250W
Pump Installation:	with Backplate
Pump Dimensions:	78 x 84 x 45 mm
Pump Speed:	2600 ± 10% rpm
Pump Rated Voltage:	DC12V
Pump Noise Level:	23 dBA
Pump Coldplate Material:	Copper
Pump Connectors:	4-PIN (PWM) + 3-PIN ARGB
Radiator Dimensions:	276 x 120 x 27 mm
Radiator Material:	Aluminum
Tubing Length:	450 mm
Tubing Type:	Ultra-Low Evaporation Rubber, Nylon Braided
Fan Dimensions:	120 x 120 x 25 mm
Fan Bearing:	Hydraulic
Fan Speed:	800 - 1800 ± 10% rpm
Fan Air Flow:	30 - 75 CFM
Fan Noise Level:	25 - 32 dBA
Fan Rated Voltage:	DC12V
Fan Connectors:	4-PIN (PWM) + 3-PIN ARGB
Fan Included:	2 pieces
Special features:	ARGB controller included; High-performance thermal paste included
Illumination:	ARGB (Pump and Fan)
ARGB compatibility:	ASRock Polychrome, ASUS Aura, GIGABYTE RGB Fusion, MSI Mystic Light
PWM Controlled:	Yes (Pump and Fans)
Color:	Black
EAN:	5949161380888
Pieces/ Carton:	10



INSIDE THE BOX:  x1  x2  x1  x1  x1  x1



PRODUCT PAGE



FOLLOW US




PUCK

ALL ABOUT GAMING



1 FAN



2 HEAT PIPES



90 mm SIZE



2000 RPM



ARGB



ALL-ROUND THERMAL PASTE



INTEL / AMD COMPATIBILITY



TDP UP TO 125W

- CPU cooler for Intel and AMD platforms
- Supports TDP up to 125W and performs better than stock coolers
- Quiet 92 mm PWM fan with RGB illumination
- Two direct-touch copper heat pipes
- Multi-fin aluminum heatsink
- Low-height, only 133 mm
- No-backplate installation
- Thermal paste included



TECHNICAL DATA

Socket Compatibility: **Intel: LGA 20xx/ 115x/ 1200; AMD: AM4**

TDP: **up to 1250W**

Heatsink Installation: **without Backplate**

Heatsink Dimensions: **133 x 92 x 64 mm (with fan)**

Heatsink Material: **Aluminum**

Heat Pipes: **2x, Copper**

Fan Dimensions: **90 x 90 x 25 mm**

Fan Bearing: **Hydraulic**

Fan Speed: **1000 - 2000 ± 10% rpm**

Fan Air Flow: **48 CFM**

Fan Noise Level: **18 dBA**

Fan Rated Voltage: **DC12V**

Fan Connectors: **4-PIN (PWM + LED)**

Fan Included: **1 piece**

Special features: **No-backplate installation; Two direct-touch copper heat pipes; All-round thermal paste included**


Illumination: **RGB (Fan)**

PWM Controlled: **Yes**

Color: **Gray**

EAN: **5949161380857**

Pieces/Carton: **50**



INSIDE THE BOX:



PRODUCT PAGE



FOLLOW US



URANUS

ALL ABOUT GAMING



AVAILABLE COLORS: BLACK/WHITE



1 FAN



4 HEAT PIPES



**120 mm
SIZE**



1800 RPM



ARGB



**ALL-ROUND
THERMAL PASTE**



**INTEL
AMD
COMPATIBILITY**




**TDP
UP TO 200W**

- CPU cooler for Intel and AMD platforms
- Excellent cooling performance, TDP support up to 200W
- Top plate and fan with ARGB illumination (compatible with ASRock Polychrome, ASUS AURA, GIGABYTE RGB Fusion, MSI Mystic)
- Included ARGB controller for manual control
- Four direct-touch copper heat pipes
- Multi-fin aluminum heatsink
- Quiet 120 mm PWM controlled fan
- Installation with backplate
- High-performance thermal paste included



TECHNICAL DATA

Socket Compatibility:	Intel: LGA 20xx/115x/1200/1700; AMD: AM4
TDP:	up to 200W
Heatsink Installation:	with Backplate
Heatsink Dimensions:	155 x 125 x 81 mm (with fan)
Heatsink Material:	Aluminum
Heat Pipes:	4x, Copper
Fan Dimensions:	120 x 120 x 25 mm
Fan Bearing:	Hydraulic
Fan Speed:	800 - 1800 ± 10% rpm
Fan Air Flow:	30 - 75 CFM
Fan Noise Level:	25 - 20 dBA
Fan Rated Voltage:	DC12V
Fan Connectors:	4-PIN (PWM) + 3-PIN ARGB
Fan Included:	1 piece
Special features:	ARGB controller included; All-round thermal paste included
Illumination:	ARGB (top Heatsink and Fan)
ARGB compatibility:	ASRock Polychrome, ASUS Aura, GIGABYTE RGB Fusion, MSI Mystic Light
PWM Controlled:	Yes
Color:	Black
EAN:	5949161380819
Pieces/Carton:	20



INSIDE THE BOX:  x1  x1  x1  x1  x1  x1



PRODUCT PAGE



FOLLOW US



YMIR

ALL ABOUT GAMING

EASY-CLEAN
ANTI-STAIN
FIRE-RESISTANT

FABRIC

160 kg

MAX LOAD



**MEMORY FOAM
PILLOWS**



**CARBON STEEL
FRAME**



**NYLON CASTERS
3 INCH**



**GASLIFT
CLASS 4**



3D ARMRESTS



**TEXTILE
UPHOLSTERY**



**PU SILENT CASTERS
3 INCH**

- Premium ergonomic gaming chair
- Robust construction with carbon steel frame integrated into the whole structure
- Seat and backrest filled with high-density PU foam for extended comfort and durability
- Easy-Clean, Anti-Stain, Fire-Resistant upholstery
- 155° Reclinable Backrest
- Tilt-lock mechanism for tilting and locking the seat
- Cushion filled with memory foam for lumbar support
- Class 4 gas lifting system (supports up to 160 kg)
- Includes two sets of 3-inch wheels
- Chair tested and certified according to EU standards and safety requirements for office furniture



TECHNICAL DATA

Chair type:	High-Back
Foam type:	High-Density Polyurethane
Frame type:	Powder Coated Carbon Steel
Upholstery type:	High-Quality Fabric
Gas Piston:	Class 4
Wheelbase material:	Aluminum Alloy
Casters:	3-inch Nylon (5 pcs), 3-inch PU (5 pcs)
Cervical support:	Yes (pillow)
Lumbar support:	Yes (memory foam pillow)
Armrests type:	4-Directional adjustable
Backrest recline:	90 - 155°
Tilt angle lock:	Yes
Maximum load:	160 kg
Backrest width:	54 cm
Backrest height:	84 cm
Seat depth:	58 cm
Seat width:	56 cm
Height adjustment:	10 cm
Armrest height adjustment:	9 cm
Wheelbase diameter:	70 cm
Weight:	24.50 kg
Color:	Grey-Blue
Certification:	EN 1335-1:2021 & EN 1335-2:2019
Package size:	89 x 70 x 37 cm
Weight (gross, approx.):	28.50 kg
EAN:	5949161381106



**Ultra-Glide Silent PU Casters
Bonus-Set Included**



PRODUCT PAGE



FOLLOW US



CALYPSO

ALL ABOUT GAMING

EASY-CLEAN
ANTI-STAIN
FIRE-RESISTANT

FABRIC

160 kg

MAX LOAD



**MEMORY FOAM
PILLOWS**



**CARBON STEEL
FRAME**



**NYLON CASTERS
3 INCH**



**GASLIFT
CLASS 4**



4D ARMRESTS



**ALCANTARA + PU LEATHER
UPHOLSTERY**



**PU SILENT CASTERS
3 INCH**

- Premium ergonomic gaming chair
- Robust construction with carbon steel frame integrated into the whole structure
- Seat and backrest filled with high-density PU foam for extended comfort and durability
- Easy-Clean, Anti-Stain, Fire-Resistant upholstery
- 155° Reclinable Backrest
- Tilt-lock mechanism for tilting and locking the seat
- Cushion filled with memory foam for lumbar support
- Class 4 gas lifting system (supports up to 160 kg)
- Includes two sets of 3-inch wheels
- Chair tested and certified according to EU standards and safety requirements for office furniture



TECHNICAL DATA

Chair type:	High-Back
Foam type:	High-Density Polyurethane
Frame type:	Powder Coated Carbon Steel
Upholstery type:	Premium PU Leather X Alcantara
Gas Piston:	Class 4
Wheelbase material:	Aluminum Alloy
Casters:	3-inch Nylon (5 pcs), 3-inch PU (5 pcs)
Cervical support:	Yes (pillow)
Lumbar support:	Yes (memory foam pillow)
Armrests type:	4-Directional adjustable
Backrest recline:	90 - 155°
Tilt angle lock:	Yes
Maximum load:	160 kg
Backrest width:	52 cm
Backrest height:	88 cm
Seat depth:	55 cm
Seat width:	58 cm
Height adjustment:	10 cm
Armrest height adjustment:	7 cm
Wheelbase diameter:	67 cm
Weight:	24.40 kg
Color:	Black-White
Certification:	EN 1335-1:2021 & EN 1335-2:2019
Package size:	89 x 70 x 37 cm
Weight (gross, approx.):	28.40 kg
EAN:	5949161381083



**Ultra-Glide Silent PU Casters
Bonus-Set Included**



PRODUCT PAGE



FOLLOW US



HYPERION

ALL ABOUT GAMING

EASY-CLEAN
ANTI-STAIN
FIRE-RESISTANT

FABRIC

160 kg

MAX LOAD



**MEMORY FOAM
PILLOWS**



**CARBON STEEL
FRAME**



**NYLON CASTERS
3 INCH**



**GASLIFT
CLASS 4**



4D ARMRESTS



**PU LEATHER
UPHOLSTERY**



**PU SILENT CASTERS
3 INCH**

- Premium ergonomic gaming chair
- Robust construction with carbon steel frame integrated into the whole structure
- Seat and backrest filled with high-density PU foam for extended comfort and durability
- Easy-Clean, Anti-Stain, Fire-Resistant upholstery
- 155° Reclinable Backrest
- Tilt-lock mechanism for tilting and locking the seat
- Cushion filled with memory foam for lumbar support
- Class 4 gas lifting system (supports up to 160 kg)
- Includes two sets of 3-inch wheels
- Chair tested and certified according to EU standards and safety requirements for office furniture



TECHNICAL DATA

Chair type:	High-Back
Foam type:	High-Density Polyurethane
Frame type:	Powder Coated Carbon Steel
Upholstery type:	Premium PU Leather
Gas Piston:	Class 4
Wheelbase material:	Aluminum Alloy
Casters:	3-inch Nylon (5 pcs), 3-inch PU (5 pcs)
Cervical support:	Yes (pillow)
Lumbar support:	Yes (memory foam pillow)
Armrests type:	4-Directional adjustable
Backrest recline:	90 - 155°
Tilt angle lock:	Yes
Maximum load:	160 kg
Backrest width:	51 cm
Backrest height:	88 cm
Seat depth:	55 cm
Seat width:	58 cm
Height adjustment:	10 cm
Armrest height adjustment:	7 cm
Wheelbase diameter:	67 cm
Weight:	24.80 kg
Color:	Black-Grey-Blue
Certification:	EN 1335-1:2021 & EN 1335-2:2019
Package size:	89 x 70 x 37 cm
Weight (gross, approx.):	28.80 kg
EAN:	5949161381090



**Ultra-Glide Silent PU Casters
Bonus-Set Included**



PRODUCT PAGE



FOLLOW US



FENRIR

ALL ABOUT GAMING

EASY-CLEAN
ANTI-STAIN
FIRE-RESISTANT

FABRIC

140 kg

MAX LOAD



**MEMORY FOAM
PILLOWS**



**CARBON STEEL
FRAME**



**NYLON CASTERS
3 INCH**



**GASLIFT
CLASS 4**



3D ARMRESTS



**TEXTILE
UPHOLSTERY**



**PU SILENT CASTERS
3 INCH**

- Premium ergonomic gaming chair
- Robust construction with carbon steel frame integrated into the whole structure
- Seat and backrest filled with high-density PU foam for extended comfort and durability
- Easy-Clean, Anti-Stain, Fire-Resistant upholstery
- 155° Reclinable Backrest
- Tilt-lock mechanism for tilting and locking the seat
- Cushion filled with memory foam for lumbar support
- Class 4 gas lifting system (supports up to 140 kg)
- Includes two sets of 3-inch wheels
- Chair tested and certified according to EU standards and safety requirements for office furniture



TECHNICAL DATA

Chair type:	High-Back
Foam type:	High-Density Polyurethane
Frame type:	Powder Coated Carbon Steel
Upholstery type:	High-Quality Fabric
Gas Piston:	Class 4
Wheelbase material:	Aluminum Alloy
Casters:	3-inch Nylon (5 pcs), 3-inch PU (5 pcs)
Cervical support:	Yes (pillow)
Lumbar support:	Yes (memory foam pillow)
Armrests type:	3-Directional adjustable
Backrest recline:	90 - 155°
Tilt angle lock:	Yes
Maximum load:	140 kg
Backrest width:	51 cm
Backrest height:	87 cm
Seat depth:	55 cm
Seat width:	58 cm
Height adjustment:	10 cm
Armrest height adjustment:	9 cm
Wheelbase diameter:	66 cm
Weight:	21.50 kg
Color:	Grey-Black
Certification:	EN 1335-1:2021 & EN 1335-2:2019
Package size:	89 x 70 x 37 cm
Weight (gross, approx.):	25.50 kg
EAN:	5949161381076



**Ultra-Glide Silent PU Casters
Bonus-Set Included**



PRODUCT PAGE



FOLLOW US



AQIRYS

ALL ABOUT GAMING



AQIRYS®

ALL ABOUT GAMING



DESIGNED IN ROMANIA